DEC 21 2001

TestAmerica
INCORPORATED

ANALYTICAL REPORT

Mr. Richard Tyler
MILBANK MANUFACTURING INC
1400 E. HAVENS ST.
KOKOMO, IN 56901-3188

12/17/2001

Job Number: 01.06397

Enclosed are the Analytical Results for the following samples submitted to TestAmerica, Inc. Indianapolis Division for analysis:

Project Description: SEMI-ANNUAL WASTEWATER ANALYSIS

Sample Number	Sample Description	Date Taken	Time Taken	Date Received
309518	WASTEWATER - COMPOSITE	12/06/2001	15:30	12/07/2001
309519	WASTEWATEWR SAMPLES - GRAB	12/06/2001	11:10	12/07/2001

TestAmerica, Inc. certifies that the analytical results contained herein apply only to the specific samples analyzed.

TestAmerica Incorporated-Indianapolis Division is in compliance with the National Environmental Laboratory Accreditation Program (NELAP) Standards.

Sarah L. Thomas
Project Representative

TestAmerica
INCORPORATED

ANALYTICAL REPORT

Mr. Richard Tyler
MILBANK MANUFACTURING INC
1400 E. HAVENS ST.
KOKOMO, IN 56901-3188

12/17/2001

Job No.: 01.06397

Date Received: 12/07/2001
Job Description: SEMI-ANNUAL WASTEWATER ANALYSIS

Sample Number / Sample I.D. Parameters	Wet Wt. Result	Flag	Sample Date/ Units	Analyst Date & Time Analyzed	Method	Reporting Limit
309518 WASTEWATER - COMPOSITE			12/06/2001 15:30			
CBOD - Five Day	11		mg/L	lng 12/12/2001 10:40	EPA 405.1	<5.
CBOD - Five Day (PREP)	Complete			lng 12/07/2001 14:00	EPA 405.1	Complete
COD	<250	d2x5	mg/L	tpd 12/13/2001 09:20	EPA 410.4	<250
Nitrogen, Ammonia Dist.	1.8		mg/L	dsp 12/13/2001 13:53	EPA 350.1	<0.10
Solids, Suspended	24		mg/L	lng 12/10/2001 10:45	EPA 160.2	<5.
Distillation, Ammonia	Complete			mhl 12/13/2001 08:00		Complete
Cadmium, ICP	<0.030		mg/L	400 12/16/2001 15:50	EPA 200.7	<0.030
Chromium, ICP	<0.040		mg/L	400 12/16/2001 15:50	EPA 200.7	<0.040
Copper, ICP	0.02		mg/L	400 12/16/2001 15:50	EPA 200.7	<0.020
Lead, ICP	<0.080		mg/L	400 12/16/2001 15:50	EPA 200.7	<0.080
Molybdenum, ICP	<0.020		mg/L	400 12/16/2001 15:50	EPA 200.7	<0.020
Nickel, ICP	0.03		mg/L	400 12/16/2001 15:50	EPA 200.7	<0.010
Silver, ICP	<0.040		mg/L	400 12/16/2001 15:50	EPA 200.7	<0.040
Zinc, ICP	<0.050		mg/L	400 12/16/2001 15:50	EPA 200.7	<0.050
309519 WASTEWATEWR SAMPLES - GRAB			12/06/2001 11:10			
Cyanide - Prep	Complete			mhl 12/11/2001 12:30		Complete
Cyanide, Total	<0.005		mg/L	dsp 12/12/2001 09:36	EPA 335.4	<0.005
Oil & Grease	<5.	1	mg/L	mhl 12/17/2001 14:20	EPA 1664A	<5.
Oil & Grease, Hydrocarbon	<5.	1	mg/L	mhl 12/17/2001 15:30	EPA-1664A	<5.
Phenol - Prep	Complete			mhl 12/11/2001 09:30		Complete
Phenol	0.017		mg/L	dsp 12/11/2001 16:10	EPA 420.2	<0.010

KEY TO ABBREVIATIONS

<	Less than; when appearing in the result column, indicates analyte not detected at or above the Reporting Limit.
%	Percent; To convert ppm to %, divide result by 10,000. To convert % to ppm, multiply the result by 10,000.
*	Indicates the Reporting Limit is elevated due to insufficient sample volume.
mg/L	Part per million; Concentration in units of milligrams of analyte per Liter of aqueous sample.
ug/L	Part per billion; Concentration in units of micrograms of analyte per Liter of aqueous sample.
mg/kg	Part per million; Concentration in units of milligrams of analyte per kilogram of non-aqueous sample.
ug/kg	Part per billion; Concentration in units of micrograms of analyte per kilogram of non-aqueous sample.
a	Indicates the sample concentration was quantitated using a diesel fuel standard.
b	Indicates the analyte of interest was also found in the method blank.
c	Sample resembles unknown Hydrocarbon.
dw	When indicated, the result is reported on a dry weight basis. The contribution of the moisture content in the sample has been subtracted when calculating the concentration.
d1	Indicates the analyte has elevated Reporting Limit due to high concentration.
d2	Indicates the analyte has elevated Reporting Limit due to matrix.
e	Indicates the reported concentration is estimated.
g	Indicates the sample concentration was quantitated using a gasoline standard.
h	Indicates the sample was analyzed past recommended holding time.
i	Insufficient spike concentration due to high analyte concentration in the sample.
j	Indicates the reported concentration is below the Reporting Limit.
k	Indicates the sample concentration was quantitated using a kerosene standard.
l	Indicates an MS/MSD was not analyzed due to insufficient sample. An LCS / LCS Duplicate provided for precision.
m	Indicates the sample concentration was quantitated using a mineral spirits standard.
o	Indicates the sample concentration was quantitated using a motor oil standard.
p	Indicates the sample was post spiked due to sample matrix.
q	Indicates MS/MSD exceeded control limits. The associated sample may exhibit similar matrix bias. All other quality control indicators are in control.
r	Indicates the sample was received past recommended holding time.
u	Indicates the sample was received improperly preserved and/or improperly contained.
uj	Indicates the result is below the Reporting Limit and is considered estimated.
z	Indicates the BOD dilution water blank depletion was between 0.2 and 0.5 mg/L.

TestAmerica INCORPORATED

Indianapolis Division
69640 Hillsdale Court
Indianapolis, IN 46250

Phone: 317-842-42[illegible]
Fax: 317-842-4286

To assist us in using the proper analytical methods, is this work being conducted for regulatory purposes?
Compliance Monitoring _____

Client Name: Milbank Client #: _____

Address: _____

City/State/Zip Code: _____

Project Manager: Mr. Richard Tyler

Telephone Number: _____ Fax: _____

Sampler Name: (Print Name) Michael Milliken

Sampler Signature: _____

Project Name: Semi-Annual wastewater

Project #: _____

Site/Location ID: _____ State: _____

Report To: Mr. Richard Tyler

Invoice To: _____

Quote #: _____ PO#: _____

TAT
X Standard
___ Rush (surcharges may apply)
Date Needed: _____
Fax Results: Y N

QC Deliverables
___ None
___ Level 2 (Batch QC)
___ Level 3
___ Level 4
Other: _____

SAMPLE ID	Date Sampled	Time Sampled	G = Grab, C = Composite	Field Filtered	Matrix: SL - Sludge DW - Drinking Water S - Soil/Solid GW - Groundwater WW - Wastewater Specify Other	Preservation & # of Containers: HNO_3	HCl	NaOH	H_2SO_4	Methanol	None	Other (Specify)	Analyze For: Cd, Tot. Cr., Cu, Pb,	Ni, Ag, Zn, Mo	CBOD, COD, TSS	N-Ammonia	CN, Phenol, O+G						REMARKS
Semi-Annual - comp	12/6	1530	C	N	WW						17		X	X	X	X							
Semi-Annual - grab	12/6	1110	G	N	WW			1	2								X						

Special Instructions:
Please composite using flow readings

LABORATORY COMMENTS:
Init Lab Temp:
Rec Lab Temp:
Custody Seals: Y N N/A
Bottles Supplied by TestAmerica: Y N
Method of Shipment:

	Date:	Time:		Date:	Time:
Relinquished By: ME Milliken	12/7/01	1640	Received By:	12/7	1640
Relinquished By:	Date:	Time:	Received By:	Date:	Time:
Relinquished By:	Date:	Time:	Received By:	Date:	Time:

MIL0003545